


子宮內膜癌診療指引


婦癌多專科團隊擬定

97.10 初訂
113.03 修訂

Work up Initial clinical finding Primary Treatment





Work up	Initial clinical finding	Primary Treatment
---------	--------------------------	-------------------




Clinical Findings	Adverse Risk	Histologic Greade/Adjuvant Treatment	
surgically staged: Stage I	Stage IA (< 50%) myometrial invasion	G1,G2	Observation preferred or Consider vaginal brachytherapy if lymphovascular space invasion (LVSI) and/or age ≥60 y
		G3	Vaginal brachytherapy preferred or Consider observation if no myoinvasion or Consider EBRT if either age ≥70 y or LVSI
	Stage IB (≥ 50%) myometrial invasion	G1	Vaginal brachytherapy preferred Or Consider observation if age <60 y and no LVSI
		G2	Vaginal brachytherapy preferred or Consider EBRT if ≥60 y and/or LVSI or Consider observation if age <60 y and no LVSI
		G3	RT (EBRT and/or vaginal brachytherapy) ± systemic therapy
	surgically staged: Stage II	G1-3	EBRT (preferred) And/or vaginal brachytherapy ± systemic therapy
Surgically staged: Stage III, IV		Systemic therapy ± EBRT ± vaginal brachytherapy	

Clinical Findings	Adverse Risk	Adjuvant Treatment
-------------------	--------------	--------------------






Work up	Initial clinical finding	Primary Treatment
---------	--------------------------	-------------------



Work up	Initial clinical finding	Primary Treatment
---------	--------------------------	-------------------



Surveillance	Clinical presentation	Therapy for relapse
--------------	-----------------------	---------------------

